FACILI	TY NAME AND PERMIT I	NUMBER: Academy VA0020826		Form Approved 1/14/99 OMB Number 2040-0086
BASI	C APPLICATION I	NFORMATION		
PART	A. BASIC APPLICA	ATION INFORMATION FOR AL	L APPLICANTS:	
All tre	atment works must co	omplete questions A.1 through A	.8 of this Basic Application Informa	tion Packet
A.1.	Facility Information	ı.	Read Times 1	3 110110
	Facility Name	New London Academy	NOV	2 8 2007
	Mailing Address	Bedford County School Boo P.O. Box 748 Bedford, Va.		ECEIVED
	Contact Person	Mr. Dennis Overstreet		
	Title	Director of Maintenance		
	Telephone Number	(540-586-1045) x 237		
	Facility Address (not P.O. Box)	12400 East Lynchburg Sale Forest, Va. 24551	m Turnpike	
A.2.	Applicant Informati	on. If the applicant is different from	n the above, provide the following:	
	Applicant Name	Bedford County Public Serv	vice Authority	
	Mailing Address	1723 Falling Creek Road Bedford, Va. 24523		
	Contact Person	Mr. Elmer Handy		
	Title	Operations Manager		
	Telephone Number	(540) 586-7679 x 103		
	Is the applicant the	owner or operator (or both) of the	he treatment works?	
	owner	operator		
	Indicate whether cor	respondence regarding this permit	should be directed to the facility or the	applicant.
	☐ facility	□ applicant		
A.3.		ental Permits. Provide the permit (include state-issued permits).	number of any existing environmental	permits that have been issued to
	NPDES <u>VA00</u> 2	20826	PSD	
	UIC		Other	
	RCRA		Other	
A.4.		ity and, if known, provide information	municipalities and areas served by the on on the type of collection system (col	
	Name	Population Served	Type of Collection System	Ownership
	New London	<u>314</u>	Seperate	Municipal
	Cannery	unknown	Seperate	<u>Municipal</u>
	Total population	served		

FACILITY NAME AND PERMIT NUMBER:

New London Academy VA0020826

Form Approved 1/14/99 OMB Number 2040-0086

A.5.							
	Indiar	Country.					
	a.	Is the treatment works located in I	ndian Country?				
		☐ Yes ☐ No					
	b.	Does the treatment works discharged flows through) Indian Country?	ge to a receiving water that is	either in Indian Country	or that is up	ostream fron	n (and eventually
		☐ Yes ⊠ No					
6.	averag	Indicate the design flow rate of the tree adaily flow rate and maximum daily f with the 12 th month of "this year" occu	low rate for each of the last the	ee years. Each year's o	lata must b	e based on	
	a.	Design flow rate .0055 mg	jd .				
			Two Years Ago	Last Year		This Yea	<u>r</u>
	b.	Annual average daily flow rate	.0033	.0035		.0042	
	C.	Maximum daily flow rate	.058	.011		.017	•
.7.		tion System. Indicate the type(s) of ution (by miles) of each.	collection system(s) used by the	ne treatment plant. Chec	ck all that a	pply. Also	estimate the perce
	⊠ Se	parate sanitary sewer			100		%
	☐ Co	mbined storm and sanitary sewer					%
•	D' - 1	Other Diseased Water de					
В.	Discha	rges and Other Disposal Methods.					
	a.	Does the treatment works discharge	ge effluent to waters of the U.S	5.? ⊠ Y€	es	☐ No	
		If yes, list how many of each of the	e following types of discharge	points the treatment wor	ks uses:		
		i. Discharges of treated et	ffluent		1		
		ii. Discharges of untreated	or partially treated effluent		0		
		iii. Combined sewer overflo	ow points		0		
		iv. Constructed emergency	overflows (prior to the headw	orks)	0		
		v. Other			0		
	b.	Does the treatment works discharge that do not have outlets for discharge.		r other surface impound		⊠ No	
			ah ayufaaa immayindiisanti				
		If yes, provide the following for ea	ch surface impoundment.				
		If yes, provide the following for ear	ch surface impoundment.				
				t(s)		-171	
		Location:	harge to surface impoundmen	i(s)			mgd
	c.	Location: Annual average daily volume disc	harge to surface impoundmen us or intermittent?	t(s)	☐ Ye	s	mgd
	c.	Location: Annual average daily volume disc Is discharge	harge to surface impoundmen us or intermittent? ply treated wastewater?	t(s)	☐ Ye	s	_
	c.	Location: Annual average daily volume disc Is discharge	harge to surface impoundmen us or intermittent? ply treated wastewater?	t(s)	☐ Ye	s	_
	C.	Location: Annual average daily volume disc is discharge continuou continuo c	harge to surface impoundmen us or intermittent? ply treated wastewater?	t(s)	☐ Ye	s	
	c.	Location: Annual average daily volume disc is discharge continuous. Continuous continuo	harge to surface impoundmen us or intermittent? ply treated wastewater? ch land application site:	t(s)	☐ Ye	s	
	C.	Location: Annual average daily volume disc Is discharge	harge to surface impoundmen us or intermittent? ply treated wastewater? ch land application site:			s	_

FACILITY NAME AND PERMIT NUMBER:

New London Academy VA0020826

F	REC	E	VED	-1
The second second	JAN	- 4	2008	The second second second second

Form Approved 1/14/99 OMB Number 2040-0086

WASTEWATER DISCHARGES:

If you answered "yes" to question A.8.a, complete questions A.9 through A.12 on

9.	Descri	ption of Outfall.				
	a.	Outfall number	1			
	b.	Location	Bedford			24523
			(City or town, if applied	cable)		(Zip Code)
			Bedford (County)			Va. (State)
			37 Degree 18' 29'			79 Degrees 18' 23"
			(Lattitutde)			(Longitude)
	C.	Distance from shore (if	applicable)	NA		_ ft.
	d.	Depth below surface (i	f applicable)	NA		_ ft.
	e.	Average daily flow rate		.0036		_ mgd
	f.	Does this outfall have discharge?	either an intermittent or a	periodic Yes	⊠ No	(go to A.9.g.)
		If yes, provide the follow	wing information:			
		Number f times per yea	ar discharge occurs:			_
		Average duration of ea	ch discharge:			_
		Average flow per disch	arge:			_ mgd
		Months in which discha	arge occurs:			_
	g.	ls outfall equipped with	a diffuser?	Yes	⊠ No	
١.	Descri	ption of Receiving Wate	ers.			
				tributom to Duff	iolo Cuonk (Divor miles 0.67
	a.	Name of receiving water	-	tributary to Buff	alo Creek (River IIIIe:0.67
	b.	Name of watershed (if	,			
			servation Service 14-digi			unknown
	C.		ement/River Basin (if know		anoke Rive	
			al Survey 8-digit hydrolo		ode (if known): <u>unknown</u>
	d.	Critical low flow of rece acute <u>unknown</u>	iving stream (if applicable	e) chronic		cfs
				flow (if applicable):		mg/l of CaCO ₃

FACILITY NAME AND PERMIT NUMBER:

New London Academy VA0020826

Form Approved 1/14/99 OMB Number 2040-0086

A.11.	Descrip	otion of Tre	atment								
	a.	What leve	ls of trea	tment are pro	ovided? Ch	eck all that	apply.				
		Prima	iry		Secondary						
			nced		Other. Des	scribe: _					
	b.	Indicate th	ne followi	ng removal ra	ates (as app	licable):					
		Design B0	DD5 remo	oval <u>or</u> Desig	ın CBOD5 re	emoval	8	5			%
		Design SS	S remova	I			8	5			%
		Design P	removal								%
		Design N					8	5			%
		Other									%
	C.	-	of disinfe	ection is used	—— d for the effl	uent from tl	 nis outfall?	If disinfection v	aries by s	eason, ple	
	0.	chlorina			a 101 1110 0111		no odnam.	ii didiiiiddidii v	unee 27 e	odoon, pro	
				chlorination i	is dechloring	ation used f	or this outf	all?	⊠ Yes	Г	No
							or triis outi	all:	⊠ Yes] No
	d.	Does the	treatmen	t plant have p	post aeratior	1?			M Yes	L] 140
A.12	through informa In addit requirer	n which eff ation repor tion, this d ments for	luent is of ted must ata must standard	discharged. t be based o comply wit I methods fo	Do not inc on data colle in QA/QC re or analytes	lude inforrected throu quirement not addres	mation on ugh analys s of 40 CF sed by 40	ired by the perr combined sewe sis conducted u R Part 136 and CFR Part 136. han four and or	er overflo sing 40 (other ap At a min	ows in this CFR Part of propriate imum, eff	s section. All 136 methods. QA/QC luent testing
	through informa In additi requirer data mu number:	n which eff ation repor tion, this d ments for ust be base	iluent is of ted must ata must standard ed on at	discharged. t be based o comply wit I methods fo least three s	Do not inc on data colle ih QA/QC re or analytes samples and	effluent tes lude inforr ected throu quirement not addres d must be	mation on ugh analys s of 40 CF sed by 40	combined sew sis conducted u R Part 136 and CFR Part 136. han four and or	er overflo using 40 (other ap At a min ne-half ye	ows in this CFR Part of propriate imum, eff ears apart	s section. All 136 methods. QA/QC luent testing
	through informa In additi requirer data mu	n which eff ation repor tion, this d ments for ust be base	iluent is of ted must ata must standard ed on at	discharged. t be based o comply wit methods fo least three s	Do not income data collected QA/QC report analytes and DAILY VAL	effluent tes lude inforrected throu quirement not addres d must be	mation on ugh analys s of 40 CF sed by 40 no more th	combined sew sis conducted u R Part 136 and CFR Part 136. han four and or	er overflo using 40 0 other ap At a min ne-half ye	ows in this CFR Part of propriate imum, eff ears apart.	s section. All I36 methods. QA/QC luent testing
Outfall	through informa In addition requirer data munumber:	n which eff ation repor tion, this d ments for ust be base	iluent is of ted must ata must standard ed on at	discharged. t be based of comply with methods for least three s	Do not income data collected QA/QC report analytes and DAILY VAL	effluent tes lude inforrected throu quirement not addres d must be	mation on ugh analys s of 40 CF sed by 40	combined sew sis conducted u R Part 136 and CFR Part 136. han four and or	er overflo using 40 0 other ap At a min ne-half ye	ows in this CFR Part of propriate imum, eff ears apart.	s section. All 136 methods. QA/QC luent testing
Outfall pH (Mir	through informa In additi requirer data mu number: PARAM nimum)	n which eff ation repor tion, this d ments for ust be base	iluent is of ted must ata must standard ed on at	discharged. t be based of comply with methods for least three services MAXIMUM I Value 6.5	Do not income data collected QA/QC reported and part of the part o	effluent tes lude inforrected throu quirement not addres d must be	mation on ugh analys s of 40 CF sed by 40 no more th	combined sew sis conducted u R Part 136 and CFR Part 136. han four and or	er overflo using 40 0 other ap At a min ne-half ye	ows in this CFR Part of propriate imum, eff ears apart.	s section. All I36 methods. QA/QC luent testing
Outfall pH (Mir	through informa In additi requirer data munumber: PARAM nimum)	n which eff ation repor tion, this d ments for ust be base	iluent is of ted must ata must standard ed on at	discharged. t be based of comply with methods for least three services MAXIMUM I Value 6.5 8.5	Do not incon data collect QA/QC report analytes and DAILY VALUNIts	effluent tes lude inforrected throu quirement not addres d must be	vation on ugh analys s of 40 CF sed by 40 no more the Value	combined sewsis conducted used in the conducted in the	er overflorsing 40 (other ap At a min ne-half ye	ows in this CFR Part of propriate imum, eff ears apart.	s section. All 136 methods. QA/QC luent testing r of Samples
Outfall pH (Mir pH (Ma	through informa In additi requirer data mu number: PARAM nimum) ximum)	n which eff ation repor tion, this d ments for ust be base 1	iluent is of ted must ata must standard ed on at	discharged. t be based of comply with methods for least three s MAXIMUM I Value 6.5 8.5 .017	Do not income data collection	effluent tes lude inforrected throu- quirement not addres d must be	value	combined sewsis conducted used R Part 136 and CFR Part 136. han four and or AVERAGE MG	er overflousing 40 0 other ap At a minne-half ye	ows in this CFR Part of propriate imum, eff ears apart.	s section. All 136 methods. QA/QC luent testing
Outfall pH (Mir pH (Ma Flow Ra Temper	through informa In additi requirer data mu number: PARAM nimum) ximum) ate rature (Win	n which eff ation repor tion, this d ments for ust be base 1 METER	iluent is of ted must ata must standard ed on at	discharged. t be based of comply with methods for least three some some some some some some some so	Do not income data collected QA/QC report analytes amples and DAILY VAL Units s.u. S.u. MGE Deg	effluent tes lude inforrected through the content of the content o	value .0036 10.53	combined sewes conducted use R Part 136 and CFR Part 136. han four and or AVERAGE Unit MG Deg	er overflousing 40 0 other ap At a minime-half ye	ows in this CFR Part of propriate imum, eff ears apart.	s section. All 136 methods. QA/QC luent testing r of Samples
Outfall pH (Mir pH (Ma Flow Ra Temper	through informa In additi requirer data mu number: PARAM nimum) aximum) ate rature (Win	n which eff ation repor tion, this d ments for ust be base IETER inter)	iluent is of ted must ata must standard ed on at	discharged. t be based of comply with methods for least three s MAXIMUM I Value 6.5 8.5 .017	Do not income data collected to QA/QC report analytes and DAILY VAL Units s.u. MGC Deg	effluent tes lude inforrected through the content of the content o	value	combined sewsis conducted used R Part 136 and CFR Part 136. han four and or AVERAGE MG	er overflousing 40 0 other ap At a minime-half ye	ows in this CFR Part of propriate imum, eff ears apart.	s section. All 136 methods. QA/QC luent testing
Outfall pH (Mir pH (Ma Flow Ra Temper	through informa In additi requirer data mu number: PARAM nimum) ximum) ate rature (Winter (Suntature (Suntatu	n which eff ation repor tion, this d ments for ust be base IETER inter)	iluent is of ted must ata must standard ed on at	discharged. t be based of comply with methods for least three services. MAXIMUM I Value 6.5 8.5 .017 20.7 25.7 nimum and a MAXIMU	Do not income data collected to QA/QC report analytes and DAILY VAL Units s.u. MGC Deg	effluent tes lude inforrected throu- quirement not addres d must be UE s C C aily value	value .0036 10.53	combined sews is conducted used to the conducted of the c	er overflorsing 40 C C ANAL	ows in this CFR Part of propriate imum, eff ears apart.	s section. All 136 methods. QA/QC luent testing r of Samples
Outfall pH (Mir pH (Ma Flow Ra Temper	through informa In additi requirer data mu number: PARAM nimum) ximum) ate rature (Winter (Suntature (Suntatu	n which effation reportion, this diments for sust be based. IETER inter) Immer)	iluent is of ted must ata must standard ed on at	discharged. t be based of comply with methods for least three services. MAXIMUM I Value 6.5 8.5 .017 20.7 25.7 nimum and a MAXIMU	Do not income data collected QA/QC report analytes and samples and	effluent tes lude inforrected throu- quirement not addres d must be UE s C C aily value	value .0036 10.53 22.5	combined sews is conducted used to the conducted of the c	er overflorsing 40 C C ANAL	value Value Numbe	s section. All 136 methods. QA/QC luent testing r of Samples 36 48 36
Outfall pH (Mir pH (Ma Flow Ri Temper	through informa In additi requirer data mu number: PARAM nimum) atte rature (Win rature (Sun * For pH POLL	n which effation reportion, this diments for sust be based. IETER inter) Immer) I please reportion which is the please reportion.	iluent is of ted must ata must standard ed on at	discharged. t be based of comply with methods for least three some some some some some some some so	Do not income data collection	effluent tes lude inforrected through the content address distributed must be LUE S C C aily value A Conc.	value .0036 10.53 22.5 VERAGE DISCHA	AVERAGE MG Deg DAILY RGE Number of	er overflorsing 40 C C ANAL	value Value Numbe	s section. All 136 methods. QA/QC luent testing r of Samples 36 48 36
Dutfall pH (Mir pH (Ma Flow Ra Temper	through informa In additi requirer data munumber: PARAM POLL PARAM POLL PARAM POLL PARAM POLL PARAM P	inter) AL AND N (YGEN E	iluent is of ted must ata must standard ed on at	MAXIMUM I Value 6.5 8.5 .017 20.7 25.7 nimum and a MAXIMU DISCH Conc.	Do not income data collection	effluent tes lude inforrected through the content address distributed must be LUE S C C aily value A Conc.	value .0036 10.53 22.5 VERAGE DISCHA	AVERAGE MG Deg DAILY RGE Number of	er overfloring 40 0 other ap At a minne-half ye	value Value Numbe	s section. All 136 methods. QA/QC luent testing r of Samples 36 48 36
Dutfall pH (Mir pH (Ma Flow Ra Temper	through informa In additi requirer data munumber: PARAM PARAM inimum) ate rature (Winature (Sunature (Su	inter) AL AND N (YGEN One)	iduent is of ted must ata must standard ed on at a must standard ed on	discharged. t be based of comply with methods for least three some some some some some some some so	Do not income data collection	effluent tes lude inforrected through the content address distributed must be LUE S C C C aily value A Conc.	value .0036 10.53 22.5 VERAGE DISCHA Units	AVERAGE AVERAGE Deg DAILY RGE Number of Samples	er overfloring 40 0 other ap At a minne-half ye	value Value Numbe	s section. All I36 methods. QA/QC luent testing r of Samples 36 48 36 ML/MDL
Dutfall pH (Mir pH (Ma Flow Ra Temper Temper CONV BIOCHE DEMAN FECAL	through informa In additi requirer data must number: PARAM nimum) ate rature (Win * For pH POLL ENTIONA EMICAL OX D (Report of COLIFOR	inter) AL AND N (YGEN one)	iduent is of ted must ata must standard ed on at a min standard ed on at a	discharged. t be based of comply with methods for least three some some some some some some some so	Do not income data collection	effluent tes lude inforrected through the content address distributed must be LUE S C C C aily value A Conc.	value .0036 10.53 22.5 VERAGE DISCHA Units	AVERAGE AVERAGE Deg DAILY RGE Number of Samples	er overflorsing 40 Cother ap At a minne-half year Cother ap At a minne-half year Cother ap Cother ap At a minne-half year ANALY ANALY MET	value Value Numbe	s section. All I36 methods. QA/QC luent testing r of Samples 36 48 36 ML/MDL

FACILITY NAME AND PERMIT NO New London Ac	umber: cademy VA0020826	Form Approved 1/14/99 OMB Number 2040-0086
BASIC APPLICATION IN	IFORMATION	
PART C. CERTIFICATION		
applicants must complete all applica	able sections of Form 2A, as ex signing this certification stateme	tructions to determine who is an officer for the purposes of this certification. All plained in the Application Overview. Indicate below which parts of Form 2A you have int, applicants confirm that they have reviewed Form 2A and have completed all ted.
Indicate which parts of	Form 2A you have comple	eted and are submitting:
Basic Application Inform	nation packet	Supplemental Application Information packet:
		Part D (Expanded Effluent Testing Data)
		Part E (Toxicity Testing: Biomonitoring Data)
		Part F (Industrial User Discharges and RCRA/CERCLA Wastes)
		Part G (Combined Sewer Systems)
ALL APPLICANTS MUST COM	MPLETE THE FOLLOWING	CERTIFICATION.
designed to assure that qualified pe manage the system or those persor	ersonnel properly gather and events of the property of the property in a street of the property of the propert	s were prepared under my direction or supervision in accordance with a system aluate the information submitted. Based on my inquiry of the person or persons who ring the information, the information is, to the best of my knowledge and belief, true, lties for submitting false information, including the possibility of fine and imprisonment
Name and official title	Elmer Handy Operation	ns Manager
Signature	Elm v. Wy	
Telephone number	(540) 586-7679 x 103 //- 2 L-07	

SEND COMPLETED FORMS TO:

DEQ-WCRO
NOV 2 8 2007
RECEIVED

1.	Entity to whom the permit is to be issued: _Bedford Cour	nty Public Schools
	Who will be legally responsible for the wastewater treatment facility. This may or may not be the facility or property owner.	es and compliance with the permit?
2.	Is this facility located within city or town boundaries?	Y/N NAN - 4 2008
3.	Provide the tax map parcel number for the land where t	
_		DEQ-WCRO
4.	For the facility to be covered by this permit, how many a the next five years due to new construction activities?	
5.	What is the design average effluent flow of this facility?	0055MGD
	In addition to the design flow or production level, shoul	
	limits for any other discharge flow tiers or production le	
	If "Yes", please identify the other flow tiers (in MGD) or p	roduction levels:
	Please consider the following questions for both the flow tiers and to Do you plan to expand operations during the next five years? Is you greater than your current flow?	
6.	Nature of operations generating wastewater: Elementary School/community cannery	
	0% of flow from domestic connections/sources Number of private residences to be served by the treatment	works: <u>NA</u>
	100_% of flow from non-domestic connections/sources	
7.	Mode of discharge:ContinuousX_Intermittent	Seasonal
	Describe frequency and duration of intermittent or seasonal The plant flow when the school is in session typically between	C
	Identify the characteristics of the receiving stream at th cility's discharge point:	e point just above the
	X Permanent stream, never dry	
	Intermittent stream, usually flowing, sometimes dry	
	Ephemeral stream, wet-weather flow, often dry	
	Effluent-dependent stream, usually or always dry without	ut effluent flow
	Lake or pond at or below the discharge point	
0	Other:	
	Approval Date(s):	DI 10.00.0000
U	& M Manual <u>10-14-2004</u> Sludge/Solids Management	Pian <u>10-02-2002</u>
	Have there been any changes in your operations or proce approval dates? Y/N N	dures since the above

VPDES SEWAGE SLUDGE PERMIT APPLICATION FORM

SCREENING INFORMATION

This application is divided into sections. Sections A pertain to all applicants. The applicability of Sections B, C and D depend on your facility's sewage sludge use or disposal practices. The information provided on this page will help you determine which sections to fill out.

- 1. All applicants must complete Section A (General Information).
- 2. Does this facility generate sewage sludge? XYes No

Does this facility derive a material from sewage sludge? __Yes X__No

If you answered Yes to either, complete Section B (Generation Of Sewage Sludge Or Preparation Of A Material Derived From Sewage Sludge).

3. Does this facility apply sewage sludge to the land? _Yes X No

Is sewage sludge from this facility applied to the land? Yes X No

If you answer No to all above, skip Section C.

If you answered Yes to either, answer the following three questions:

- a. Does the sewage sludge from this facility meet the ceiling concentrations, pollutant concentrations, Class A pathogen reduction requirements and one of the vector attraction reduction requirements 1-8, as identified in the instructions?
 Yes _No
 - Is sewage sludge from this facility placed in a bag or other container for sale or give-away for application to the land? __Yes __No
- c. Is sewage sludge from this facility sent to another facility for treatment or blending? __Yes __No

If you answered No to all three, complete Section C (Land Application Of Bulk Sewage Sludge).

If you answered Yes to a, b or c, skip Section C.

4. Do you own or operate a surface disposal site? __Yes _X_No

If Yes, complete Section D (Surface Disposal).

SECTION A. GENERAL INFORMATION

All app	licants mu	st complete this section.
1.	Facilit	y Information.
1.	a.	Facility name: New London Elementary School WWTP
	b.	Contact person: Dennis Overstreet Title: Director of Maintenance Phone: (540) 586-1045 DEQ-WCRO
	c.	Mailing address: Street or P.O. Box: P.O. Box 748 City or Town: Bedford State: VA Zip: 24523
	d.	Facility location: Street or Route #: 12400 E.Lynchburg-Salem Turnpike
		County: Bedford City or Town: Forest State: VA Zip: 24551
	e. f. g. h.	Is this facility a Class I sludge management facility?Yes _X_No Facility design flow rate:mgd Total population served:314 Indicate the type of facility:
	n.	X Publicly owned treatment works (POTW) Privately owned treatment works Federally owned treatment works Blending or treatment operation Surface disposal site Other (describe):
2.	Applie a.	cant Information. If the applicant is different from the above, provide the following: Applicant name: Bedford County Public Service Authority
	b.	Mailing address: Street or P.O. Box: 1723 Falling Creek Rd. City or Town: Bedford State: VA Zip: 24523
	c.	Contact person: Elmer Handy Title: Operations Manager
		Phone: (540) 586-7679 x 103
	d.	Is the applicant the owner or operator (or both) of this facility? ownerX operator Should recognify this recognities the directed to the facility or the applicant?
	d.	Should correspondence regarding this permit be directed to the facility or the applicant? facility x applicant
3.	Permi	t Information.
٥.	a.	Facility's VPDES permit number (if applicable): <u>VA0020826</u>
	b.	List on this form or an attachment, all other federal, state or local permits or construction approvals received or applied for that regulate this facility's sewage sludge management practices: Permit Number: Type of Permit:
4.		Country. Does any generation, treatment, storage, application to land or disposal of sewage sludge from this y occur in Indian Country?Yes _X_No If yes, describe:

- 5. Topographic Map. Provide a topographic map or maps (or other appropriate maps if a topographic map is unavailable) that shows the following information. Maps should include the area one mile beyond all property boundaries of the facility:
 - a. Location of all sewage sludge management facilities, including locations where sewage sludge is generated, stored, treated, or disposed.
 - b. Location of all wells, springs, and other surface water bodies listed in public records or otherwise known to the applicant within 1/4 mile of the property boundaries.
- 6. Line Drawing. Provide a line drawing and/or a narrative description that identifies all sewage sludge processes that will be employed during the term of the permit including all processes used for collecting, dewatering, storing, or treating sewage sludge, the destination(s) of all liquids and solids leaving each unit, and all methods used for pathogen reduction and vector attraction reduction.

7.	Contractor Information. Are any operational or maintenance a			
	generation, treatment, use or disposal the responsibility of a co	ontractor?	<u>X</u> Y	es_No FIVED
	generation, treatment, use or disposal the responsibility of a collifyes, provide the following for each contractor (attach addition	onal pages	if nece	essary)
	Name: Bedford Septic Service			THE RESERVE WAS A STATE OF
	Mailing address:			JAN - 4 2008
	Street or P.O. Box: 5914 Big Island Hwy.			JAN 4 2000
	City or Town: Bedford	State:	VA	Zip: 24523
	Phone: ()			TEO WCDO
	Contractor's Federal, State or Local Permit Number(s) applical	ble to this	acility	y's sewage sludge:

If the contractor is responsible for the use and/or disposal of the sewage sludge, provide a description of the service to be provided to the applicant and the respective obligations of the applicant and the contractor(s).

8. Pollutant Concentrations. Using the table below or a separate attachment, provide sewage sludge monitoring data for the pollutants which limits in sewage sludge have been established in 9 VAC 25-31-10 et seq. for this facility's expected use or disposal practices. All data must be based on three or more samples taken at least one month apart and must be no more than four and one-half years old.

POLLUTANT	CONCENTRATION (mg/kg dry weight)	SAMPLE DATE	ANALYTICAL METHOD	DETECTION LEVEL FOR ANALYSIS
Arsenic	NA			
Cadmium	NA			
Chromium	NA			
Copper	NA			
Lead	NA			
Mercury	NA			
Molybdenum	NA			
Nickel	NA			
Selenium	NA			
Zinc	NA			

9.	Certification. Read and submit the following certification statement with this application. Refer to the instructions to
	determine who is an officer for purposes of this certification. Indicate which parts of the application you have
	completed and are submitting:

X	Section A (General Information)
X	Section B (Generation of Sewage Sludge or Preparation of a Material Derived from Sewage Sludge)
S	Section C (Land Application of Bulk Sewage Sludge)
S	Section D (Surface Disposal)

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name and official title Elmer Handy Operation Manager

Signature Date Signed

Telephone number (540) 586 (76) 9 ext 103

Upon request of the department, you must submit any other information necessary to assess sewage sludge use or disposal practices at your facility or identify appropriate permitting requirements.

DEQ-WCRO
NOV 2 8 2007
RECEIVED

SECTION B. GENERATION OF SEWAGE SLUDGE OR PREPARATION OF A MATERIAL DERIVED FROM SEWAGE SLUDGE

Complete this section if your facility generates sewage sludge or derives a material from sewage sludge

1.	Amount Generated On Site. Total dry metric tons per 365-day period generated at your facility: <1 dry metric tons			
2.	disposal	Received from Off Site. If your facility receives sewage sludge from another facility for treatment, use or , provide the following information for each facility from which sewage sludge is received. If you receive sludge from more than one facility, attach additional pages as necessary. Facility name: NA Contact Person: Title: Phone () Mailing address: Street or P.O. Box:		
		City or Town: State: Zig: DEO-WCRO		
	d.	Facility Address: (not P.O. Box)		
	e. f.	Total dry metric tons per 365-day period received from this facility: dry metric tons Describe, on this form or on another sheet of paper, any treatment processes known to occur at the off-site facility, including blending activities and treatment to reduce pathogens or vector attraction characteristics:		
3.	Treatme	nt Provided at Your Facility.		
Σ.	a.	Which class of pathogen reduction is achieved for the sewage sludge at your facility? Class AClass BX_Neither or unknown		
	b.	Describe, on this form or another sheet of paper, any treatment processes used at your facility to reduce pathogens in sewage sludge:		
	c.	Which vector attraction reduction option is met for the sawage sludge at your facility? Option 1 (Minimum 38 percent reduction in volatile solids) Option 2 (Anaerobic process, with bench-scale demonstration)		
		Option 3 (Aerobic process, with bench scale demonstration) Option 4 (Specific oxygen uptake rate for aerobically digested sludge) Option 5 (Aerobic processes plus raised temperature) Option 6 (Raise pH to 12 and retain at 11.5) Option 7 (75 percent solids with no unstabilized solids) Option 8 (90 percent solids with unstabilized solids) None or unknown		
	d.	Describe, on this form or another sheet of paper, any treatment processes used at your facility to reduce vector attraction properties of sewage sludge: Covered Septic		
	e.	Describe, on this form or another sheet of paper, any other sewage sludge treatment activities, including blending, not identified in a - d above: <u>NA</u>		
		ion of Sewage Sludge Meeting Ceiling and Pollulant Concentrations, Class A Pathogen Requirements and One		
4.	Preparation of Sewage Sludge Meeting Ceiling and Pollutant Concentrations, Class A Pathogen Requirements and One of Vector Attraction Reduction Options 1-8 (EQ Sludge). NA			
	(If sewage a.	e sludge from your facility does not meet all of these criteria, skip Question 4.) Total dry metric tons per/365-day period of sewage sludge subject to this section that is applied to the land: dry metric tons		

	b.	Is sewage sludge subject to this section placed in bags or other containers for sale or give-away? YesNo
5.	Sala	or Give-Away in a Bag or Other Container for Application to the Land.
٥.		lete this question if you place sewage sludge in a bag or other container for sale or give-away prior to land application. Skip this
		on if sewage sludge is covered in Question 4.) NA
	a.	Total dry metric tons per 365-day period of sewage sludge placed in a bag or other container at your facility
		for sale or give-away for application to the land: dry metric tons
	b.	Attach, with this application, a copy of all labels or notices that accompany the sewage sludge being sold or
		given away in a pag or other container for application to the land.
6.	Shipn	nent Off Site for Treatment or Blending.
		lete this question if sewage sludge from your facility is sent to another facility that provides treatment or blending. This question
		ot apply to sewage sludge sent directly to a land application or surface disposal site. Skip this question if the sewage sludge is
		d in Questions 4 or 5. If you send sewage sludge to more than one facility, attach additional sheets as necessary. Receiving facility name: Roanoke Regional Water Pollution Control Plant
	a.	Receiving facility name. Roanoke Regional water Foliution Control Flant
	h	Engility contact: C. Scott Shirley
	b.	Facility contact: S. Scott Shirley Title: Plant Manager JAN 4 2008
		Phone: (540) 853-1283
	0	Mailing addrags:
	c.	Street or P.O. Box: 1402 Bennington St. SE. DEQ-WCRO
		City or Town: Roanoke State: VA Zip: 24014-2697
	d.	Total dry metric tons per 365-day period of sewage sludge provided to receiving facility: <1 dry
	u.	metric tons
	e.	List, on this form or an attachment, the receiving facility's VPDES permit number as well as the numbers of
		all other federal, state or local permits that regulate the receiving facility's sewage sludge use or disposal
		practices:
		Permit Number: Type of Permit:
		VA 0025020 VPDES
	f.	Does the receiving facility provide additional treatment to reduce pathogens in sewage sludge from your
	- 17	facility? X Yes No
		Which class of pathogen reduction is achieved for the sewage sludge at the receiving facility?
		Class A X Class B Neither or unknown
		Describe, on this form or another sheet of paper, any treatment processes used at the receiving facility to
		reduce pathogens in sewage sludge:
	g.	Does the receiving facility provide additional treatment to reduce vector attraction characteristics of the
	8.	sewage sludge? X Yes No
		Which vector attraction reduction option is met for the sewage sludge at the receiving facility?
		X Option 1 (Minimum 38 percent reduction in volatile solids)
		Option 2 (Anaerobic process, with bench-scale demonstration)
		Option 3 (Aerobic process, with bench-scale demonstration)
		Option 4 (Specific oxygen uptake rate for aerobically digested sludge)
		Option 5 (Aerobic processes plus raised temperature)
		Option 6 (Raise pH to 12 and retain at 11.5)
		Option 7 (75 percent solids with no unstabilized solids)
		Option 8 (90 percent solids with unstabilized solids)
		None unknown
		Describe, on this form or another sheet of paper, any treatment processes used at the receiving facility to
		reduce vector attraction properties of sewage sludge: <u>Anaerobic Digestion</u>
	545	
	h.	Does the receiving facility provide any additional treatment or blending not identified in f or g above? Yes X_No

If yes, describe, on this form or another sheet of paper, the treatment processes not identified in f or g above:

	i.	If you answered yes to f., g or h above, attach a copy of any information you provide to the receiving facility to comply with the "notice and necessary information" requirement of 9 VAC 25-31-530.G.
	j	Does the receiving facility place sewage sludge from your facility in a bag or other container for sale or give-away for application to the land?Yes _X_No If yes, provide a copy of all labels or notices that accompany the product being sold or given away.
	k.	Will the sewage sludge be transported to the receiving facility in a truck-mounted watertight tank normally used for such purposes?X_ Yes No. If no, provide description and specification on the vehicle used to transport the sewage sludge to the receiving facility. Show the haul route(s) on a location map or briefly describe the haul route below and indicate the days of the week and the times of the day sewage sludge will be transported.
		JAN - 4 2008
		JAN 4 2000
7.		Application of Bulk Sewage Sludge.
		lete Question 7.a if sewage sludge from your facility is applied to the land, unless the sewage sludge is covered in Questions 4, 5 or
		plete Question 7.b, c & d only if you are responsible for land application of sewage sludge.) NA
	a.	Total dry metric tons per 365-day period of sewage sludge applied to all land application sites:dry
	b.	metric tons Do you identify all land application sites in Section C of this application?YesNo
	υ.	If no, submit a copy of the Land Application Plan (LAP) with this application (LAP should be prepared in
		accordance with the instructions).
	c.	Are any land application sites located in States other than Virginia? YesNo
		If yes, describe, on this form or on another sheet of paper, how you notify the permitting authority for the States where the land application sites are located. Provide a copy of the notification.
	d.	Attach a copy of any information you provide to the owner or lease holder of the land application sites to
		comply with the "notice and necessary" information requirement of 9 VAC 25-31-530 F and/or H (Examples
		may be obtained in Appendix IV). See RWTF Application
8.	Surfac	ce Disposal.
	(Comp	olete Question 8 if sewage sludge from your facility is placed on a surface disposal site.) NA
	a.	Total dry metric tons per 365-day period of sewage sludge from your facility placed on all surface disposal sites: dry metric tons
	b.	Do you own or operate all surface disposal sites to which you send sewage sludge for disposal?
		YesNo If no, answer questions c - g for each surface disposal site that you do not own or operate. If you send sewage
		sludge to more than one surface disposal site, attach additional pages as necessary.
	c.	Site name or number:
	d.	Contact person:
		Title:
		Phone: ()
		Contact is:Site OwnerSite operator
	e.	Mailing address.
		Street or P.O. Box:
	c	City or Town: State: Zip:
	f.	Total dry metric tons per 365-day period of sewage sludge from your facility placed on this surface disposal site: dry metric tons
	g.	List, on this form or an attachment, the surface disposal site VPDES permit number as well as the numbers of
	ъ.	all other federal, state or local permits that regulate the sewage sludge use or disposal practices at the surface
		disposal site:
		Permit Number: Type of Permit:

VPDES PERMIT NUMBER: VA0020826

FACILITY NAME: New London Elementary School WWTP

be watertight and covered? Yes No Show the haul route(s) on a location map or briefly describe the route below and indicate the days of the week and time of the day sewage sludge will be transported.





October 10, 2002

Mr. Elmer Handy Operations Manager Bedford County Public Service Authority 1723 Falling Creek Road Bedford, VA 24523-3137

Dear Mr. Handy:

The City of Roanoke will accept your request to treat the sludge from the following Schools:

- Body Camp Elementary School ~6,000 gallons/year
- New London Academy ~1,800 gallons/year
- Stewartsville Elementary School ~10,000 gallons/year
- Otter River Elementary School ~4,500 gallons/year
- Thaxton Elementary School ~3,000 gallons/year

It is the City's understanding that all of this sludge is domestic in origin. If there is a substantial change in the quantity of sludge that is produced or a change in your treatment plant processes you must notify the Roanoke Regional Water Pollution Control Plant.

If you have any questions, please call me.

Sincerely.

Martin E. Sensabaugh Pretreatment Coordinator

ms

c: Scott Shirley, Wastewater Manager

